

AutoPortair Mobile Tyre Inflator

Compact, Robust Tyre Inflator for High-Volume Workspaces

The AutoPortair Mobile Tyre Inflator is ideal for service bays, garages, car showrooms, emergency vehicles, and workshops - anywhere space is tight and access is limited. Built for durability and ease of use, with 10 bar maximum inflation pressure and a 6 litre compressed air tank, making it perfect for high-demand environments like petrol stations.

Its robust design, with a grey protective cover, ensures long-lasting performance with minimal maintenance. The large, 160 mm dial display ensures quick and accurate pressure readings, while the 1.25 metre hose equipped with an angled stem hold-on connector makes it easy to access to hard-to-reach tyre valves.

Additionally, the AutoPortair Inflator is designed for maximum efficiency with minimal downtime. With a wide range of spare parts readily available and quick replacement options, you can be assured that your inflator will stay operational even in the busiest of environments.

www.pclairtechnology.com



Key Features & Benefits

- Bar / psi pressure units
- Easy-read 160mm dial
- 6 litre compressed air tank
- Clear impact-resistant toughened glass dial cover
- Powder coated outer casing giving a hard durable finish
- Easily detachable 1.25m hose
- PTB type approved
- Spare parts available

Technical Specification

Part No. P10H02

Maximum inlet pressure 12 bar / 174 psi Maximum inflation pressure 10 bar / 140 psi

Reading accuracy 0.1 bar / 2 psi

Double scale bar / psi
Hose length 1.25 m

Tyre valve connection Angled stem twin hold-on

Dimensions

Height 630 mm
Width 200 mm
Depth 320 mm
Weight 6.8 kg



